

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/614,383	07/07/2003	Frederick J. Sandor SR.	148-109	7395	
21091	7590 12/08/2005		EXAMINER		
JOHN H CROZIER			TRUONG, BAO Q		
1934 HUNTINGTON TURNPIKE TRUMBULL, CT 06611			ART UNIT	PAPER NUMBER	
				2875	
			DATE MAILED: 12/08/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

U.S. Patent and Trademark Office PTOL-326 (Rev. 7-05)

1) Notice of References Cited (PTO-892)

Paper No(s)/Mail Date \_\_\_\_\_.

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)

Interview Summary (PTO-413)
Paper No(s)/Mail Date. \_\_\_\_\_.

6) Other: \_\_\_\_.

5) Notice of Informal Patent Application (PTO-152)

Application/Control Number: 10/614,383

Art Unit: 2875

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claim 20 is rejected under 35 U.S.C. 102(b) as being anticipated by Williams [US 4,223,377].

Regarding claim 20, Williams discloses a light panel having a plurality of lenses [54] resting on ledges of a longitudinal support pan [10], a sealing material [60] disposed therebetween, and a plurality of illumination sources [36] as progressive illumination sources to direct person in a certain direction (figures 1-3, column 1 lines 20-25).

### Allowable Subject Matter

3. Claims 1-19 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

Claims 1 and 13, the applicant has amended the claims to overcome the prior of records. An illuminated glass deck light panel comprises a plurality of load-bearing glass pavers resting on ledges formed in a longitudinal extending support pan and a plurality of light source directing light upwardly through the plurality of load-bearing glass pavers.

Application/Control Number: 10/614,383

Art Unit: 2875

Claims 2-12 and 14-17 are dependent on claims 1 and 13, respectively.

Claims 18-19 have been indicated for allowance in the previous office action.

## Response to Amendment

4. Applicant's amendment filed on 31 October 2005 regarding to claim 20, which the "blink illumination sources" was deleted, have been fully considered but they are not persuasive. The examiner believes that claim 20 is still anticipated by Williams [US 4,223,377] and rejected as above.

### Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. F.L. Keppler [US 1,385,688] and Nau [US 5,390,090] disclose a glass pavement light.
- 6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2875

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao Q. Truong whose telephone number is (571) 272-2383. The examiner can normally be reached on Monday-Friday (8:00 AM - 4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra L. O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bao Q. Truong Examiner Art Unit 2875

JOHN ANTHONY WARD